Notes: Height 450mm from the boundary, whichever is 1. The maximum height of buildings shall be the lesser. 8.5m to the peak of the roof. Setbacks Parking 2. Setbacks are as per the Plan of 6. 2 car spaces per dwelling of which at least 1 is covered. Development Table unless otherwise specified on the plan. Built to boundary walls are optional. The Private Open Space location of the built to boundary walls are 7. Dwellings with their main living area indicated on the Plan of Development. located at ground level must have a private open space area of at least 25m<sup>2</sup> Where built to boundary walls are not with a minimum dimension of at 3m, and adopted side setbacks shall be in accordance with the Plan of Development preferably accessible from the main living Table. area. Where a built to boundary wall could be 8. Dwellings with their main living area built adjoining the neighboring lot then the above ground level must have a private wall is to be setback a maximum of 50mm open space area of at least 8m² for 1 bed with a minimum dimension of 2m, 12m<sup>2</sup> from the lot boundary. A maximum gap of 100mm between adjoining built to for 2 bed with a minimum dimension of boundary walls is to be covered with a 2.5m, 16m<sup>2</sup> for 3 bed or greater with a minimum dimension of 3m, and preferably fence post, timber batten or capping. 1046 Setbacks are measured to the outer edge accessible from the main living area. of the wall or balcony. Eaves, hoods, 9. Patios and covered outdoor living areas screens and projected architectural or recreation areas are included in the 1045 elements may extend a maximum of 1m above private open space requirements. ROAD COUNCIL NOTE: ALL FUTURE DWELLINGS ON LOTS 1001 TO 1007 1044 1072 ARE TO BE ORIENTATED TOWARDS CUSACK LANE. 1043 1042 1074 1070 1041 1036 1075 1069 1037 1039 1038 1068 1076 1040 /1067 A0405 1049 1086 NO DIRECT LOT ACCESS TO ROAD ONE /1066 1078 1034 1033 1031 1030 1022 1026 1019 1002

into the setbacks or to a minimum of

## Fencing:

- 10. Fencing to the primary street frontage to be at least 50% transparent and not to exceed 1.2 metres in height.
- 11. Fencing to public open space to be at least 50% transparent and not to exceed 1.8 meters in height.
- 12. Fencing on secondary street frontages to be at least 25% transparent, have a maximum height of 1.8 metres
- 13. Fencing to be a maximum of 1.8m high to all side and rear boundaries.

## **Building Design:**

- 14. All homes are to have a window or balcony from a habitable room that faces the street and open space.
- 15. The Garage cannot be the closest part of the home to the street and must be setback at least 1m behind another part of the home.
- 16. Garages are to have a maximum internal width of 7metres and be no greater than 50% of the site frontage for lots greater than14 metres wide.
- 17. A maximum of 1 driveway per dwelling

18. Refuse bins are to be located behind the building line and screened from view.

### Definitions:

- The secondary frontage of the lot is deemed to be the frontage of the greater dimension or as indicated on the Site Development Plan.
- b. Site cover the proportion of the site covered by a building(s), structure(s) attached to the building(s) and carport(s), calculated to the outermost projections (excluding eaves) of the building(s) and expressed as a percentage.

The term does not include: any structure or part thereof included in a landscaped open space area such as a gazebo or shade structure, and/or sun shading devices.

# **LOGAN CITY COUNCIL**

## **APPROVED PLAN OF DEVELOPMENT**

This is the approved plan of development for Development Application

COM/69/2016

PLAN OF DEVELOPMENT TABLE					
Frontage / width of lots	12 .50m -	14.00m -	16 .00m -	18m Plus	Cusack Lane
	13.99m	15.99m	17.99m		
Front Setback (m)					
Front / Primary Frontage	4.5	4.5	4.5	4.5	4.5
Garage	5.5	5.5	5.5	5.5	5.5
Side Setback (m)					
Side Boundary (Level 1)	1	1	1	1	2
Side Boundary (Level 2)	1.5	1.5	2	2	2
Built to Boundary Wall	0	0	0	0	NA
Corner Lots - Secoundary Frontage	2	3	3	3	3
Rear Setback (m)					
Rear Boundary	2	2	2	2	2
Park & Open Space	3	3	3	3	3
Other Requirements					
Built to Boundary Wall					
a)maximum length	12m	12m	12m	12m	12m
B) maximum height ( Ground Floor	3.5m	3.5m	3.5m	3.5m	3.5m
Level Only)					
Site Cover	60%	60%	50%	50%	50%
(an additional 10% of site cover is					
allowed for porches, patios, and					
covered outdoor areas)					
Note: All setbacks in metres. Lot wi	dths are base	ed on average	e lot width		

BUILT TO BOUNDARY WALL

**BUILDING ENVELOPE** 

STAGE BOUNDARY



